

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Mice immunised with:




FIG. 1

866260-693E9T69

Dose of transferred
sensitised macrophages




FIG. 2

09163089-092598




FIG. 3

Mice immunised
macrophages
sensitised with:




FIG. 4

Ox-M-FP immunized mice




FIG. 5

056250-6805950




FIG. 6

Mouse strain cells
transferred to:

DBA/2

C57BL/6

(DBA/2xC57BL/6)F1




FIG. 7

09153059-092999
000250-0003150

555260-6339760




FIG. 8




FIG. 9




FIG. 10

**Mice immunised
with: Ox-M-FP**

**Normal mice
immunised with:**





FIG. 11

09163089-092498

Mice immunised
with: SIINFEKL

normal mice

gal o/o mice



CTLp Frequency (1/)

FIG. 12

966260-5909T60




FIG. 13




FIG. 14